



FINAL COURSE PARAMETERS

El, Friday 30th August

Class	Length [m]	Ascent [m]	Controls	Class	Length [m]	Ascent [m]	Controls
D10N	1830	50	6	H10N	1830	50	6
	/ 2880				/ 2880		
D10	1970	30	9	H10	1970	30	9
D12	2250	60	13	H12	2190	45	11
D14	2990	80	13	H14	3340	85	16
D16	3350	125	16	H16	4030	145	19
D18	4320	125	18	H18	5150	165	23
D21A	5210	150	21	H21A	6360	155	25
D21B	4740	120	19	H21B	5200	140	21
D21C	3870	100	16	H21C	4110	90	17
D35A	4270	110	18	H35A	4880	130	20
D35B	3910	120	17	H35B	4500	105	17
D45A	3810	120	17	H45A	4770	105	21
D45B	3100	80	13	H45B	3900	90	15
D55A	3140	80	14	H55A	3930	90	16
D55B	2950	80	14	H55B	3320	80	14
D65	2670	60	12	H65	3180	65	14
D75	1990	55	9	H75	2070	55	10
P	1870	35	9	T	5740	155	23
HDR	1730	50	6				
	/ 2880						

E2, Saturday 31st August

Class	Length [m]	Ascent [m]	Controls	Class	Length [m]	Ascent [m]	Controls
D10N	1 570	40	5	H10N	1 570	40	5
	/ 3 500				/ 3 500		
D10	2 480	80	6	H10	2 480	80	6
D12	2 780	80	8	H12	3 050	90	9
D14	3 680	110	11	H14	4 870	150	11
D16	4 550	110	11	H16	6 020	155	14
D18	5 770	155	13	H18	7 690	155	18
D21A	9 520	185	17	H21A	12 990	245	23
D21B	7 070	185	17	H21B	9 760	205	22
D21C	5 010	125	12	H21C	7 120	175	15
D35A	6 670	155	17	H35A	9 250	150	21
D35B	4 940	140	15	H35B	6 820	150	16
D45A	5 240	140	12	H45A	7 630	160	17
D45B	3 930	100	12	H45B	5 440	150	14
D55A	4 290	85	12	H55A	5 440	145	12
D55B	3 540	80	9	H55B	4 630	130	12
D65	3 410	80	10	H65	4 510	95	12
D75	2 790	75	8	H75	3 220	80	9
P	3 170	95	8	T	7 750	145	14
HDR	2 140	40	6				
	/ 3 500						

E3, Sunday 1st September

Class	Length [m]	Ascent [m]	Controls	Class	Length [m]	Ascent [m]	Controls
D10N	2 210 / 3 900	50	6	H10N	2 210 / 3 900	50	6
D10	2 580	55	7	H10	2 580	55	7
D12	2 930	65	11	H12	3 240	75	12
D14	3 430	85	14	H14	4 170	95	14
D16	4 160	105	12	H16	5 500	145	14
D18	5 070	115	15	H18	6 330	140	18
D21A	6 900	160	20	H21A	8 620	235	25
D21B	5 590	120	17	H21B	6 850	150	19
D21C	4 130	95	13	H21C	5 280	130	13
D35A	5 170	135	13	H35A	7 080	175	19
D35B	4 550	110	13	H35B	5 660	140	15
D45A	4 840	125	14	H45A	6 180	155	18
D45B	3 920	100	11	H45B	5 400	140	14
D55A	4 210	105	12	H55A	5 710	130	14
D55B	3 600	70	13	H55B	4 790	110	15
D65	3 270	65	13	H65	3 800	90	14
D75	2 380	50	10	H75	2 720	55	11
P	2 590	65	13	T	5 680	150	15
HDR	2 150 / 3 900	50	8				